

# Xtract by Unovent®

## Kitchen Rangehoods

Targeted ventilation for kitchens

Xtract Kitchen Rangehoods are high performing rangehoods that are suitable for any residential dwelling

---

**Product suitability:**

Any residential kitchen or light commercial with a cooktop.



## Key Features

- Extracts moisture and cooking odours
  - Thermal overload safety switch
  - LED task lighting
  - Dishwasher safe micromesh aluminium filters
  - Three speed centrifugal motor
  - Available in two sizes; 600mm and 900mm width, and in white or stainless steel
  - BRANZ Appraised No. 665(2017) Propriety flashing system designed for roof pitches 5° to 45°
- 

### Applications

Proving mechanical Rangehood extract ventilation system, fully ducted to the roofline, or soffit. Suitable for any residential or light commercial premises with a domestic cooktop.

### Installation

Undertaken by Unovent's Certified installer network.

### Limitations of use

The base of the canopy should be approximately 800mm above the cooktop surface. Note that framing will determine height tolerance.

### Electrical

Standard 230-240V 50/60 Hz three pin powerpoint is required, for Extraction Fans. Power outlet installation must be carried out by a registered electrician.

### Warranty

Two years on all our rangehoods.

### Maintenance

If the roof was being serviced the solar panels should be wiped with a soft cloth

## Rangehood Options

The Xtract range has a number of rangehood styles

CODE 60CM WIDE	CODE 90CM WIDE	DESCRIPTION	AIRFLOW M <sup>3</sup> /H	
RWE3CL6SS	RWE3CL9SS	Classically styled Slim Line "T Box" Wall Canopy  Finish: Stainless steel Lighting: LED	497	
RWC3CL6SS	RWC3CL9SS	Classic 3 Flare Wall Canopy  Finish: Stainless steel Lighting: LED	497	
RWC3CL6WH		Classic 3 Flare Wall Canopy  Finish: White Lighting: LED	497	
RWV3CL6G	RWV3CL9G	Curved Glass Wall Canopy  Finish: Stainless steel and glass Lighting: LED Delay timer	497	

CAD is available at [www.hometech.co.nz/technical-resources](http://www.hometech.co.nz/technical-resources)